
- 1. True or False. Hematology is best defined as the study and assessment of sickle cell anemia.
  - a. True
  - b. False
- 2. True or False. If a client refuses the hemoglobin test based on religious beliefs, she can still be certified.
  - a. True
  - b. False
- 3. The substance in the red blood cell responsible for the red blood cell's color and its ability to pick up oxygen from the lungs is: (Select the correct answer)
  - a. Hemoglotin
  - b. Hemaglonen
  - c. Hemoglobin
  - d. Hematacrit
- 4. This is the most common form of anemia among WIC clients: (Select the correct answer)
  - a. Sickle Cell
  - b. Vitamin B12
  - c. Folic Acid
  - d. Iron Deficiency
- 5. True or False. Tiredness, weakness, and pale skin are all symptoms of anemia.
  - a. True
  - b. False

- 6. What are the two most common causes of iron-deficiency anemia? (Select the correct answer)
  - a. Lead, malabsorption
  - b. Blood loss, Low iron blood
  - c. Low iron blood, lack of essential factors
  - d. None of the above
- 7. If a person lives at a high altitude and smokes, she could have this condition (select the correct answer):
  - a. Hyberglominea
  - b. Hyperhemoglobinemia
  - c. Hemoglobinemia
  - d. Hyperglobinemia
- 8. What's the preferred way of having a client warm her hands for the hemoglobin test? (Select the correct answer)
  - a. Have her place them under her arms
  - b. Have her wash them vigorously under warm water
  - c. Have her sit on them
  - d. Have her blow on them
- 9. If you start up the HemoCue machine, and you get an E02 message, what action needs to be taken? (Select the correct answer)
  - a. Clean the surface of the machine
  - b. Take out the tray and clean the sensor with a damp cotton swab
  - c. Call tech support
  - d. Put batteries in the machine to see if the error message goes away
- 10. True or False. When obtaining a blood sample, the size of split pea or more is recommended to fill up the cuvette.
  - a. True
  - b. False

- 11. True or False. Work surfaces need to be cleaned at the end of the day, and may be cleaned in between clients also.
  - a. True
  - b. False
- 12. When a container of cuvettes is first opened, what do you do? (Select the correct answer)
  - a. Write down the serial number of the HemoCue machine on a piece of paper.
  - b. Write down the manufacturer's expiration date on a piece of paper.
  - c. Write the date of expiration on a piece of paper.
  - d. Write that day's date on the side of the container so those using the cuvettes will know when the cuvettes will expire.
- 13. When opened and sealed properly each time after they are used, how long will the container of cuvettes last from the date they are opened? (Select the correct answer)
  - a. 30 days
  - b. 45 days
  - c. 90 days
  - d. 120 days
- 14. True or False. When wiping the excess blood off the outside of the cuvette on a lint-free wipe, it's important NOT to touch the open-ended area, as this could pull some of the blood sample out.
  - a. True
  - b. False
- 15. Which of the following indicates that the HemoCue machine is functioning normally when it's turned on? (Select the correct answer)
  - a. Flashing red light
  - b. A "Ready For Use" message displayed on the screen
  - c. Flashing green light
  - d. Three flashing bars

- 16. What is the meaning of 'Hemolyze'? (Select the correct answer)
  - a. It's when red blood cells clot
  - b. It's when red blood cells burst
  - c. It's when white blood cells invade red blood cells
  - d. None of the above
- 17. True or False. The site used for the hemoglobin test should be roughly halfway between the finger pad and the nail bed.
  - a. True
  - b. False
- 18. True or False., the middle finger is the best finger to use for a finger stick, as it has the best blood circulation.
  - a. True
  - b. False



- 19. What best describes the cuvettes in the picture above? (Select the two correct answers)
  - a. The blood drop was too big
  - b. The client drank too much water prior to her testc. An air bubble got into the cuvetted. The cuvette was not filled with enough blood
- 20. How many split pea-sized drops of blood need to be wiped off prior to taking the sample of blood? (Select the correct answer)
  - a. 1-2
  - b. 2-3
  - c. 4-6
  - d. 7-9